

## 9 References

- Acker, J.G. and Bricker, O.P., (1992). The influence of pH on biotite dissolution and alteration kinetics at low temperature. *Geochimica et Cosmochimica Acta* **56**, 3073-3092.
- Aglietti, E.F., (1994). The effect of dry grinding on the structure of talc. *Applied Clay Science* **9**, 139-147.
- Anbeek, C., (1992a). The dependence of dissolution rates on grain size for some fresh and weathered feldspars. *Geochimica et Cosmochimica Acta* **56**, 3957-3970.
- Anbeek, C., (1992b). Surface roughness of minerals and implications for dissolution studies. *Geochimica et Cosmochimica Acta* **56**, 1461-1469.
- Antweiler, R.C. and Drever, J.I., (1983). The weathering of late Tertiary volcanic ash: importance of organic solutes. *Geochimica et Cosmochimica Acta* **47**, 623-629.
- Arshad, M.A., Arnaud, R.J. and Huang, P.M., (1972). Dissolution of trioctahedral layer silicates by ammonium oxalate, sodium dithionite-citrate-bicarbonate and potassium pyrophosphate. *Canadian Journal of Soil Science* **52**, 19-26.
- Badraoui, M., Bloom, P.R. and Delmaki, A., (1992). Mobilization of non-exchangeable K by ryegrass in five Moroccan soils with and without mica. *Plant & Soil* **140**, 55-63.
- Baerug, R., (1991a). Rock powder as a source of nutrients to different crops. The magnesium effect of rock powder. *Norsk Landbruksforskning* **5**, 183-188.
- Baerug, R., (1991b). Rock powders as a source of nutrients to different crops. The effect of potassium in rock powder. *Norsk Landbruksforskning* **5**, 183-188.
- Bakken, A.K., Gautneb, H. and Myhr, K., (1997). The potential of crushed rocks and mine tailings as slow releasing K fertilizers assessed by intensive cropping with Italian rye-grass in different soil types. *Nutrient Cycling in Agroecosystems* **47**, 41-48.
- Bakken, A.K., Gautneb, H., Sveistrup, T. and Myhr, K., (2000). Crushed rocks and mine tailings applied as K fertilizers on grassland. *Nutrient Cycling in Agroecosystems* **56**, 53-57.

- Banfield, J.F. and Eggleton, R.A., (1990). Analytical transmission electron microscope studies of plagioclase, muscovite and K-feldspar weathering. *Clays and Clay Minerals* **38**, 77-89.
- Banfield, J.F. and Hamers, R.J., (1997). Processes at mineral surfaces with relevance to microorganisms and prebiotic synthesis. *In*: (Ed, J.F. Banfield and K.H. Nealson), *Geomicrobiology: Interactions Between Microbes and Minerals*. 81-122. (Mineralogical Society of America: Washington, D.C.)
- Barak, P., Chen, Y. and Singer, A., (1983). Ground basalt and tuff as iron fertilizer for calcareous soils. *Plant & Soil* **73**, 155-158.
- Barker, W.W., Welch, S.A. and Banfield, J.F., (1997). Biogeochemical weathering of silicate minerals. *In*: (Ed, J.F. Banfield and K.H. Nealson), *Geomicrobiology: Interactions Between Microbes and Minerals*. *Reviews in Mineralogy*. pp. 391-428. (Mineralogical Society of America: Washington, DC)
- Berggren, D., (1989). Speciation of aluminium, cadmium, copper, and lead in humic soil solutions. - A comparison of the ion exchange column procedure and equilibrium dialysis. *International Journal of Environmental Analytical Chemistry* **35**, 1-15.
- Berner, E.K. and Berner, R.A., (1987) 'The Global Water Cycle'. (Prentice-Hall, Englewood Cliffs, NJ).
- Berner, R.A., (1995). Chemical weathering and its effect on atmospheric CO<sub>2</sub> and climate. *In*: (Ed, A.F. White and S.L. Brantley), *Chemical weathering rates of silicate minerals*. 565-583. (Mineralogical Society of America: Washington, DC)
- Berner, R.A. and Holdren, G.R., (1977). Mechanism of feldspar weathering: I Some observational evidence. *Geochimica et Cosmochimica Acta* **43**, 1173-1186.
- Berner, R.A. and Holdren, G.R., (1979). Mechanism of feldspar weathering: II Observations of feldspars from soils. *Geochimica et Cosmochimica Acta* **43**, 1173-1186.
- Berner, R.A. and Schott, J., (1982). Mechanism of pyroxene and amphibole weathering II. Observations of soil grains. *American Journal of Science* **282**, 1214-1231.
- Berner, R.A., Sjöberg, E.L., Velbel, M.A. and Kroh, M.D., (1980). Dissolution of pyroxenes and amphiboles during weathering. *Science* **207**, 1205-1206.

- Berthelin, J. and Belgy, G., (1979). Microbial degradation of phyllosilicates during simulated podzolization. *Geoderma* **21**, 297-310.
- Binet, P., el Guessabi, L. and Salette, J., (1985). The potassium status of soils: significance of the "Italian ryegrass test". *Fertilizer Research* **5**, 393-402.
- Blum, A.E. and Stillings, L.L., (1995). Feldspar dissolution kinetics. In: (Ed, A.F. White and S.L. Brantley), *Reviews in Mineralogy*. 291-351. (Mineralogical Society of America: Washington, DC)
- Blum, A.E., Yund, R.A. and Lasaga, A.C., (1990). The effect of dislocation density on the dissolution rate of quartz. *Geochimica et Cosmochimica Acta* **54**, 283-297.
- Blum, W.E.H., Herbinger, B., Mentler, A., Ottner, F., Pollack, M., Unger, E. and Wenzel, W.W., (1989a). The use of rock powders in agriculture. I. Chemical and mineralogical composition and suitability of rock powders for fertilization. *Zeitschrift Fur Pflanzenernahrung Und Bodenkunde* **152**, 421-425.
- Blum, W.E.H., Herbinger, B., Mentler, A., Ottner, F., Pollack, M., Unger, E. and Wenzel, W.W., (1989b). The use of rock powders in agriculture. II. Efficiency of rock powders for soil amelioration. *Zeitschrift Fur Pflanzenernahrung Und Bodenkunde* **152**, 427-430.
- Bockman, O.C., Kaarstad, O., Lie, O.H. and Richards, I., (1990) 'Agriculture and Fertilizers: Fertilizers in Perspective.'. (Norsk Hydro a.s. Publishers, Oslo, Norway).
- Boldyrev, V.V., (1987). Mechanochemistry of inorganic solids. *Thermochimica Acta* **110**, 303-317.
- Bolland, M.D.A. and Baker, M.J., (2000). Powdered granite is not an effective fertilizer for clover and wheat in sandy soils from Western Australia. *Nutrient Cycling in Agroecosystems* **56**, 59-68.
- Bolland, M.D.A., Lewis, D.C., Gilkes, R.J. and Hamilton, L.J., (1997). Review of Australian phosphate rock research. *Australian Journal of Experimental Agriculture* **37**, 845-859.
- Bonifacio, E., Celi, L. and Barberis, E., (2001). Effect of phosphate on the dissolution of serpentine. *Soil Science* **166**, 708-716.

- Borg, H., (1986). Metal Fractionation by Dialysis - Problems and Possibilities. In: L. Landner (Editor), Speciation of Metals in Water, Sediment and Soil Systems. Lecture Notes in Earth Sciences. Springer-Verlag, Sunne, pp. 75-67.
- Boyle, J.R., Voigt, G.K. and Sawhney, B.L., (1967). Biotite flakes: alteration by chemical and biological treatment. *Science* **155**, 193-195.
- Brantley, S.L. and Chen, Y., (1995). Chemical weathering rates of pyroxenes and amphiboles. In: (Ed, A.F. White and S.L. Brantley), Chemical Weathering Rates of Silicate Minerals. Reviews in Mineralogy. pp. 119-172. (Mineralogical Society of America: Washington, DC)
- Brantley, S.L., White, A.F. and Hodson, M.E., (1999). Surface area of primary silicate minerals. In: (Ed, B. Jamtviet and P. Meakin), Growth, Dissolution and Pattern Formation in Geosystems. 291-326. (Kluwer Academic Publishers: Dordrecht)
- Brunauer, S., Emmett, P.H. and Teller, E., (1938). Adsorption of gases in multimolecular layers. *Journal American Chemical Society* **60**, 309-319.
- Casey, W.H. and Bunker, B., (1990). Leaching of mineral and glass surfaces during dissolution. In: (Ed, M.F. Hochella and A.F. White), Mineral-Water Interface Geochemistry. Reviews In Mineralogy. pp. 397-426. (Mineralogical Society of America: Washington, D.C.)
- Casey, W.H. and Ludwig, C., (1995). Silicate mineral dissolution as a ligand-exchange reaction. In: (Ed, A.F. White and S.L. Brantley), Chemical Weathering Rates of Silicate Minerals. 87-117. (Mineralogical Society of America: Washington, DC)
- Chesworth, W., van Stratten, P. and Semoka, J.M.R., (1989). Agrogeology in East Africa: the Tanzania-Canada project. *Journal of African Earth Sciences* **9**, 357-362.
- Chittenden, E.T., Stanton, D.J., Watson, J. and Dodson, K.J., (1967). Serpentine and dunite as magnesium fertiliser. *New Zealand Journal of Agricultural Research* **10**, 160-171.
- Chittenden, E.T., Watson, J. and Hodgson, L., (1964). Magnesium uptake by pastures and apple leaves from top-dressings of ground serpentine and dunite. *New Zealand Journal of Agricultural Research* **7**, 28-31.

- Christenson, D.R. and Doll, E.C., (1973). Release of magnesium from soil clay and silt fractions during cropping. *Soil Science* **116**, 59-63.
- Clarkson, D.T. and Hanson, J.B., (1980). The mineral nutrition of higher plants. *Annual Review of Plant Physiology* **31**, 239-298.
- Coroneos, C., Hinsinger, P. and Gilkes, R.J., (1996). Granite powder as a source of potassium for plants - a glasshouse bioassay comparing two pasture species. *Fertilizer Research* **45**, 143-152.
- Coventry, R.J., Gillman, G.P., Burton, M.E., McSkimming, D., Burkett, D.C. and Horner, N.L.R., (2001) Rejuvenating soils with Minplus<sup>TM</sup>: a rock dust and soil conditioner to improve the productivity of acidic, highly weathered soils. RIRDC Publication No 01/173, Rural Industries Research and Development Corporation, Kingston, ACT.
- Dahlgren, R.A. and Ugolini, F.C., (1989). Aluminium fractionation of soil solutions from unperturbed and tephra-treated spodosols, Cascade Range, Washington, USA. *Soil Science Society America Journal* **53**, 559-566.
- Darrah, P.R., (1993). The rhizosphere and plant nutrition: a quantitative approach. *Plant & Soil* **155/156**, 1-20.
- Deer, W.A., Howie, R.A. and Zussman, J., (1992) 'An Introduction to the Rock-Forming Minerals'. (Longmans Scientific & Technical, Essex, UK).
- Drees, L.R., Wilding, L.P., Smeck, N.E. and Senkayi, A.L., (1989). Silica in soils: quartz and disordered silica polymorphs. *In*: (Ed, J.B. Dixon and S.B. Weed), Minerals in Soil Environments. 913-974. (Soil Science Society of America: Madison, WI)
- Drever, J.I., (1994). The effects of land plants on weathering rates of silicate minerals. *Geochimica et Cosmochimica Acta* **58**, 2325-2332.
- Drief, A. and Nieto, F., (1999). The effect of dry grinding of antigorite from Mulhacen, Spain. *Clays and Clay Minerals* **47**, 417-424.
- Eberl, D.D., Drits, V.A., Srodon, J. and Nüesch, R., (1996) MudMaster: a program for calculating crystallite size distribution and strain from shapes of X-ray diffraction peaks. Open File Report 96-171, U.S.G.S., Boulder, CO.

- Eggleton, R.A., (1986). The relation between crystal structure and silicate weathering rates. *In: (Ed, S.M. Colman and D.P. Dethier), Rates of Chemical Weathering of Rocks and Minerals. 21-40. (Academic Press, Inc.: Orlando, FL)*
- Eick, M.J., Grossl, P.R., Golden, D.C., Sparks, D.L. and Ming, D.W., (1996). Dissolution of a lunar basalt simulant as affected by pH and organic anions. *Geoderma* **74**, 139-160.
- Epstein, E., (1999). Silicon. *Annual Review of Plant Physiology & Plant Molecular Biology* **50**, 641-664.
- Evans, P.S., (1977). Comparative root morphology of some pasture grasses and clovers. *New Zealand Journal of Agricultural Research* **20**, 331-335.
- Fanning, D.S., Keramidas, V.Z. and El-Desoky, M.A., (1989). Micas. *In: (Ed, J.B. Dixon and S.B. Weed), Minerals in Soil Environments. 551-634. (Soil Science Society of America: Madison, WI)*
- Fecht, H.J., (1996). Formation of nanostructures by mechanical attrition. *In: (Ed, A.S. Edelstein and R.C. Cammarata), Nanomaterials: Synthesis, Properties and Applications. 89-110. (Institute of Physics Publishing: Bristol)*
- Fragstein, P., Pertl, W. and Vogtmann, H., (1988). Artificial weathering of silicate rock powders. *Zeitschrift Fur Pflanzenernahrung Und Bodenkunde* **151**, 141-146.
- Fung, P.C. and Sanipelli, G.G., (1982). Surface studies of feldspar dissolution using surface replication combined with electron microscopic and spectroscopic techniques. *Geochimica et Cosmochimica Acta* **46**, 503-512.
- Gasalla, H.J., Aglietti, E.F., Porto Lopez, J.M. and Pereira, E., (1987). Changes in physicochemical properties of  $\alpha$ -spodumene by mechanochemical treatment. *Materials Chemistry and Physics* **17**, 379-389.
- Gautier, J.-M., Oelkers, E.H. and Schott, J., (2001). Are quartz dissolution rates proportional to B.E.T. surface areas? *Geochimica et Cosmochimica Acta* **65**, 1059-1070.
- Gautneb, H. and Bakken, A.K., (1995). Crushed rocks, minerals and mine tailings as sources of potassium in agriculture. *NGU Bulletin* **427**, 119-122.

- Gilkes, R.J., Anand, R.R. and Suddhiprakan, A., (1986). How the microfabric of soils may be influenced by the structure and chemical composition of parent materials. In: Proc XIII ISSS Congress. Hamburg, pp. 1093-1106.
- Gilkes, R.J., Young, R.C. and Quirk, J.P., (1972). The oxidation of octahedral iron in biotite. *Clays and Clay Minerals* **20**, 303-315.
- Gilkes, R.J., Young, R.C. and Quirk, J.P., (1973a). Artificial weathering of oxidised biotite: I Potassium removal by sodium chloride and sodium tetraphenylboron solutions. *Soil Science Society America Proceedings* **37**, 25-28.
- Gilkes, R.J., Young, R.C. and Quirk, J.P., (1973b). Artificial weathering of oxidised biotite: II: Rates of dissolution in 0.1, 0.01, 0.001M HCl. *Soil Science Society America Proceedings* **37**, 29-33.
- Gillman, G.P., (1980). The effect of crushed basalt scoria on the cation exchange properties of a highly weathered soil. *Soil Science Society America Journal* **44**, 465-468.
- Gillman, G.P., Burkett, D.C. and Coventry, R.J., (2001). A laboratory study of application of basalt dust to highly weathered soils: effect on soil cation chemistry. *Australian Journal of Soil Research* **39**, 799-811.
- Goldich, S.S., (1938). A study in rock-weathering. *Journal of Geology* **46**, 17-58.
- Gonzalez Garcia, F., Ruiz Abrio, M.T. and Gonzalez Rodriguez, M., (1991). Effects of dry grinding on two kaolins of different degrees of crystallinity. *Clay Mineral* **26**, 549-565.
- Grandstaff, D.E., (1986). The dissolution of forsterite olivine from Hawaiian beach sand. In: (Ed, S.M. Colman and D.P. Dethier), Rates of Chemical Weathering of Rocks and Minerals. 41-59. (Academic Press: Orlando, FL)
- Griffiths, R.P., Baham, J.E. and Caldwell, B.A., (1994). Soil solution chemistry of ectomycorrhizal mats in forest soils. *Soil Biology & Biochemistry* **26**, 331-337.
- Grinsted, M.J., Hedley, M.J., White, R.E. and Nye, P.H., (1982). Plant-induced changes in the rhizosphere of rape (*Brassica napus* var. Emerald) seedlings. I. pH changes and the increase in P concentration in the soil solution. *New Phytologist* **91**, 19-29.

- Haynes, R.J., (1990). Active ion uptake and maintenance of cation-anion balance: A critical examination of their role in regulating rhizosphere pH. *Plant & Soil* **126**, 247-264.
- Hering, J.G. and Stumm, W., (1990). Oxidative and reductive dissolution of minerals. *In*: (Ed, M.F. Hochella and A.F. White), Mineral-Water Interface Geochemistry. Reviews in Mineralogy. pp. 427-465. (Mineralogical Society of America: Washington, DC)
- Hildebrand, E.E. and Schack-Kirchner, H., (2000). Initial effects of lime and rock powder application on soil solution chemistry in a dystic cambisol. *Nutrient Cycling in Agroecosystems* **56**, 69-78.
- Hinsinger, P., (1998). How do plant roots acquire mineral nutrients? Chemical processes involved in the rhizosphere. *Advances In Agronomy* **64**, 225-265.
- Hinsinger, P., Bolland, M.D.A. and Gilkes, R.J., (1996). Silicate rock powder: effect on selected chemical properties of a range of soils from Western Australia and on plant growth as assessed in a glasshouse experiment. *Fertilizer Research* **45**, 69-79.
- Hinsinger, P., Elsass, F., Jaillard, B. and Robert, M., (1993). Root-induced irreversible transformation of a trioctahedral mica in the rhizosphere of rape. *Journal of Soil Science* **44**, 535-545.
- Hinsinger, P., Fernandes Barros, O.N., Benedetti, M.F., Noack, Y. and Callot, G., (2001). Plant-induced weathering of a basaltic rock: Experimental evidence. *Geochimica et Cosmochimica Acta* **65**, 137-152.
- Hinsinger, P. and Gilkes, R.J., (1995). Root-induced dissolution of phosphate rock in the rhizosphere of lupins grown in alkaline soil. *Australian Journal of Soil Research* **33**, 477-489.
- Hinsinger, P. and Jaillard, B., (1993). Root-induced release of interlayer potassium and vermiculitization of phlogopite as related to potassium depletion in the rhizosphere of ryegrass. *Journal of Soil Science* **44**, 525-534.
- Hlavay, J., Jonas, S. and Inczedy, J., (1977). Characterization of the particle size and the crystallinity of certain minerals by infrared spectrophotometry and other

- instrumental methods-I. Investigations on clay minerals. *Clays and Clay Minerals* **25**, 451-456.
- Hochella, M.F. and Banfield, J.F., (1995). Chemical weathering of silicates in nature: a microscopic perspective. *In*: (Ed, A.F. White and S.L. Brantley), *Chemical Weathering Rates of Silicate Minerals. Reviews in Mineralogy.* pp. 353-406. (Mineralogical Society of America: Washington, DC)
- Hodson, M.E., (1999). Micropore surface area variation with grain size in unweathered alkali feldspars: Implications for surface roughness with dissolution studies. *Geochimica et Cosmochimica Acta* **62**, 3429-3435.
- Holdren, G.R. and Berner, R.A., (1979). Mechanism of feldspar dissolution - I. Experimental studies. *Geochimica et Cosmochimica Acta* **43**, 1161-1171.
- Holdren, G.R. and Speyer, P.M., (1985a). pH dependent changes in the rates and stoichiometry of dissolution of an alkali feldspar at room temperature. *American Journal of Science* **285**, 994-1026.
- Holdren, G.R. and Speyer, P.M., (1985b). Reaction rate-surface area relationships during the early stages of weathering - I. Initial observations. *Geochimica et Cosmochimica Acta* **49**, 675-681.
- Holdren, G.R. and Speyer, P.M., (1987). Reaction rate-surface relationships during the early stages of weathering. II. Data on eight additional feldspars. *Geochimica et Cosmochimica Acta* **51**, 2311-2318.
- Huang, P.M., (1989). Feldspars, Olivines, Pyroxenes, and Amphiboles. *In*: (Ed, J.B. Dixon and S.B. Weed), *Minerals in Soil Environments.* 975-1050. (Soil Science Society of America: Madison, WI)
- Huang, P.M. and Keller, W.D., (1970). Dissolution of rock-forming silicate minerals in organic acids: simulated first-stage weathering of fresh mineral surfaces. *American Mineralogist* **55**, 2076-2094.
- Huang, P.M. and Kiang, W., (1972). Laboratory dissolution of plagioclase feldspaths in water and organic acids. *American Mineralogist* **57**, 1849-1859.
- Jongmans, A.G., van Breemen, N., Lundström, U.S., van Hees, P.A.W., Finlay, R.D., Srinivasan, M., Unestam, T., Giesler, R., Melkerud, P.A. and Olsson, M., (1997). Rock-eating fungi. *Nature* **389**, 682-683.

- Juhász, A.Z. and Opoczky, L., (1990) 'Mechanical Activation of Minerals by Grinding: Pulverizing and Morphology of Particles'. (Ellis Horwood Limited, Chichester, England).
- Kahnt, G., Pfeleiderer, H. and Hijazi, L.A., (1986). Effect of amelioration doses of rock powder and rock sand on growth of agricultural plants and on physical characteristics of sandy and clay soils. *Agronomy & Crop Science* **157**, 169-180.
- Kaila, A. and Kettunen, H., (1973). Magnesium-supplying power of some Finnish mineral soils. *Journal of the Scientific Agricultural Society of Finland* **45**, 319-324.
- Kalinowski, B.E. and Schweda, P., (1996). Kinetics of muscovite, phlogopite, and biotite dissolution and alteration at pH 1-4, room temperature. *Geochimica et Cosmochimica Acta* **60**, 367-385.
- Kerr, M.C. and Reed, J.S., (1992). Comparative grinding kinetics and grinding energy during ball milling and attrition milling. *American Ceramic Society Bulletin* **71**, 1809-1816.
- Kidson, E.B., Hole, F.A. and Metson, A.J., (1975). Magnesium in New Zealand soils. III. Availability of non-exchangeable magnesium to white clover during exhaustive cropping in a pot trial. *New Zealand Journal of Agricultural Research* **18**, 337-349.
- Klein, C. and Hurlbut, C.S., (1993) 'Manual of Mineralogy'. (John Wiley & Sons, Inc., New York).
- Klug, H.P. and Alexander, L.E., (1974) 'X-Ray Diffraction Procedures for Polycrystalline and Amorphous Materials'. (John Wiley & Sons, New York, NY).
- Knauss, K.G., Nguyen, S.N. and Weed, H.C., (1993). Diopside dissolution kinetics as a function of pH, CO<sub>2</sub>, temperature and time. *Geochimica et Cosmochimica Acta* **57**, 285-294.
- Kodama, H., Kotlyar, L.S. and Ripmeester, J.A., (1989). Quantification of crystalline and noncrystalline material in ground kaolinite by X-ray powder diffraction, infrared, solid-state nuclear magnetic resonance, and chemical-dissolution analyses. *Clays and Clay Minerals* **37**, 364-370.

- Kodama, H., Nelson, S., Yang, A.F. and Kohyama, N., (1994). Mineralogy of rhizospheric and non-rhizospheric soils in corn fields. *Clays and Clay Minerals* **42**, 755-763.
- Kodama, H. and Schnitzer, M., (1973). Dissolution of chlorite minerals by fulvic acid. *Canadian Journal of Soil Science* **53**, 240-243.
- La Iglesia, A. and Aznar, A.J., (1996). Crystallinity variations in kaolinite induced by grinding and pressure treatments. *Journal of Materials Science* **31**, 4671-4677.
- Laneweert, R. Hoffland, E., Finlay, R.D., Kuyper, T.W., van Breeman, N. (2001) Linking plants to rocks: ectomycorrhizal fungi mobilize nutrients from minerals. *Trends in Ecology and Evolution*, **16**, 248-254
- Lasaga, A.C., Soler, J.M., Ganor, J., Burch, T.E. and Nagy, K.L., (1994). Chemical weathering rate laws and global geochemical cycles. *Geochimica et Cosmochimica Acta* **58**, 2361-2386.
- Lead, J.R., Davison, W., Hamilton-Taylor, J. and Buffle, J., (1997). Characterizing colloidal material in natural waters. *Aquatic Geochemistry* **3**, 213-232.
- Lee, M.R., Hodson, M.E. and Parsons, I., (1998). The role of intragranular microtextures and microstructures in chemical and mechanical weathering: Direct comparisons of experimentally and naturally weathered alkali feldspars. *Geochimica et Cosmochimica Acta* **62**, 2771-2788.
- Lee, M.R. and Parsons, I., (1995). Microtextural controls of weathering of perthitic alkali feldspars. *Geochimica et Cosmochimica Acta* **21**, 4465-4488.
- Leonard, R.A. and Weed, S.B., (1970). Mica weathering rates as related to mica type and composition. *Clays and Clay Minerals* **18**, 187-195.
- Leonardos, O.H., Fyfe, W.S. and Kronberg, B.I., (1987). The use of ground rocks in laterite systems: an improvement to the use of conventional fertilisers? *Chemical Geology* **60**, 361-370.
- Leyval, C. and Berthelin, J., (1989). Interactions between *Laccaria laccata*, *Agrobacterium radiobacter* and beech roots: Influence on P, K, Mg and Fe mobilization from minerals and plant growth. *Plant & Soil* **117**, 103-110.
- Lindsay, W.L., (1979) 'Chemical Equilibria in Soils'. (John Wiley & Sons, New York).

- Lindsay, W.L. and Walthall, P.M., (1989). The solubility of aluminium in soils. *In:* (Ed, G. Sposito), *The Environmental Chemistry of Aluminium*. 36-50. (CRC Press, Inc.: Boca Raton, Fl)
- Longstaff, W.H. and Graham, E.R., (1951). Release of mineral magnesium and its effect on growth and composition of soybeans. *Soil Science* **71**, 167-174.
- Luce, R.W., Bartlett, R.W. and Parks, G.A., (1972). Dissolution kinetics of magnesium silicates. *Geochimica et Cosmochimica Acta* **36**, 35-50.
- Lundström, U.S., van Breemen, N. and Jongmans, A.G., (1995). Evidence for microbial decomposition of organic acids during podzolization. *European Journal of Soil Science* **46**, 489-496
- Lundström, V. and Öhman, L.O., (1990). Dissolution of feldspars in the presence of natural organic solutes. *Journal of Soil Science* **41**, 35-50.
- MacIntire, W.H., Winterberg, S.H., Sterges, A.J. and Clements, L.B., (1949). A comparison of olivine, serpentine, magnesite, dolomite and selectively calcined dolomite as sources of magnesium for red clover. *Soil Science* **67**, 287-297.
- Marschner, H., (1995) 'Mineral Nutrition of Higher Plants'. (Academic Press, London).
- Martin, H.W. and Sparks, D.L., (1985). On the behavior of nonexchangeable potassium in soils. *Communications in Soil Science & Plant Analysis* **16**, 133-162.
- McNaught, K.J. and Gdanitz, L.C., (1952). Ground serpentine, an effective source of magnesium for glasshouse tomatoes. *New Zealand Journal of Science and Technology* **34A**, 126-130.
- Mengel, K. and Rahmatullah, (1994). Exploitation of potassium by various crop species from primary minerals in soils rich in micas. *Biology and Fertility of Soils* **17**, 75-79.
- Mengel, K. and Steffens, D., (1985). Potassium uptake of rye-grass (*Lolium perenne*) and red clover (*Trifolium pratense*) as related to root parameters. *Biology and Fertility of Soils* **1**, 53-58.
- Menzies, N.W., Kerven, G.L., Bell, L.C. and Edwards, D.G., (1992). Determination of total soluble aluminium in soil solution using pyrocatechol violet, lanthanum and iron to discriminate against micro-particulates and organic ligands. *Communications in Soil Science and Plant Analysis* **23**, 2525-2545.

- Mersi, W., Kuhnert-Finkernagel, R. and Schinner, F., (1992). The influence of rock powders on microbial activity of three forest soils. *Zeitschrift Fur Pflanzenernahrung Und Bodenkunde* **155**, 29-33.
- Moberg, J.P. and Dissing Nielsen, J., (1983). Mineralogical changes in soils used for potassium-depletion experiments for some years in pots and in the field. *Acta Agriculture Scandinavica* **33**, 21-27.
- Mogk, D.W. and Locke, W.W., (1988). Application of Auger Electron Spectroscopy (AES) to naturally weathered hornblende. *Geochimica et Cosmochimica Acta* **52**, 2357-2542.
- Muir, I.J. and Nesbitt, H.W., (1991). Effects of aqueous cations on the dissolution of labradorite feldspar. *Geochimica et Cosmochimica Acta* **55**, 3181-3189.
- Nagy, K.L., (1995). Dissolution and precipitation kinetics of sheet silicates. In: (Ed, A.F. White and S.L. Brantley), *Chemical Weathering Rates of Silicate Minerals. Reviews In Mineralogy.* pp. 171-233. (Mineralogical Society of America: Washington, D.C.)
- Nahon, D.B., (1991) 'Introduction to the Petrology of Soils and Chemical Weathering'. (John Wiley & Sons, New York, NY).
- Newman, A.C.D., (1969). Cation exchange properties of micas. I The relation between mica composition and potassium exchange. *Journal of Soil Science* **20**, 357-373.
- Niebes, J.F., Dufey, J.E., Jaillard, B. and Hinsinger, P., (1993). Release of nonexchangeable potassium from different size fractions of two highly K-fertilized soils in the rhizosphere of rape (*Brassica napus* cv drakkar). *Plant & Soil* **156**, 403-406.
- Niwas, J.M., Dissanayake, C.B. and Keerthisinghe, G., (1987). Rocks as fertilizers: preliminary studies on potassium availability of some common rocks in Sri Lanka. *Applied Geochemistry* **2**, 243-246.
- Norrish, K. and Hutton, J.T., (1969). An accurate X-ray spectrographic method for the analysis of a wide range of geological samples. *Geochimica et Cosmochimica Acta* **33**, 431-453.
- Oelkers, E.H., (2001). General kinetic description of multioxide silicate mineral and glass dissolution. *Geochimica et Cosmochimica Acta* **65**, 3703-3719.

- Olsson, P.A. and Wallander, H. (1998) Interactions between ectomycorrhizal fungi and the bacterial community in soils amended with various primary minerals. *FEMS Microbiology Ecology* **27**, 195-205
- Pal, Y., Gilkes, R.J. and Wong, M.T.F., (2001). Soil factors affecting the availability of potassium to plants for Western Australian soils: a glasshouse study. *Australian Journal of Soil Research* **39**, 611-625.
- Papirer, E. and Roland, P., (1981). Grinding of chrysotile in hydrocarbons, alcohol and water. *Clays and Clay Minerals* **29**, 161-170.
- Paul, E.A. and Clark, F.E., (1989) 'Soil Microbiology and Biochemistry'. (Academic Press, San Diego, CA).
- Perez-Roderiguez, J.L., Madrid Sanchez Del Villar, L. and Sanchez Soto, P.J., (1988). Effects of dry grinding on pyrophyllite. *Clay Minerals* **23**, 399-410.
- Petit, J.C., Mea, G.D., Dran, J.C., Schott, J. and Berner, R.A., (1987). Mechanism of diopside dissolution from hydrogen depth profiling. *Nature* **325**, 705-707.
- Petrovic, R., (1981a). Kinetics and dissolution of mechanically comminuted rock-forming oxides and silicates. II. Deformation and dissolution of oxides and silicates in the laboratory and at the earth's surface. *Geochimica et Cosmochimica Acta* **45**, 1675-1686.
- Petrovic, R., (1981b). Kinetics and dissolution of mechanically comminuted rock-forming oxides and silicates. I. Deformation and dissolution of quartz under laboratory conditions. *Geochimica et Cosmochimica Acta* **45**, 1665-1674.
- Petrovic, R., Berner, R.A. and Goldhaber, M.B., (1976). Mechanism of diopside dissolution from hydrogen depth profiling. *Geochimica et Cosmochimica Acta* **40**, 537-548.
- Prost, R. and Yaron, B., (2001). Use of modified clays for controlling soil environmental quality. *Soil Science* **166**, 880-895.
- Raulund-Rasmussen, K., Borggaard, O.K., Hansen, H.C.B. and Olsson, M., (1998). Effect of natural organic soil solutes on weathering rates of soil minerals. *European Journal of Soil Science* **49**, 397-406.
- Rayment, G.E. and Higginson, F.R., (1992) 'Australian Laboratory Handbook of Soil and Water Methods'. (Inkata Press, Melbourne).

- Reuter, D.J. and Robinson, J.B. (Editor), 1997. Plant Analysis: An Interpretation Manual. CSIRO Publishing, Collingwood, VIC
- Rice, H.B. and Kamprath, E.J., (1968). Availability of exchangeable and nonexchangeable Mg in sandy coastal plain soils. *Soil Science Society America Proceedings* **32**, 386-388.
- Robert, M. and Berthelin, J., (1986). Role of biological and biochemical factors in soil mineral weathering. *In: Interactions of Soil Minerals with Natural Organics and Microbes*. 453-495. (SSSA: Madison, WI)
- Robson, A.D. and Snowball, K., (1989). The effect of 2-(4-2', 4'-Dichlorophenoxyphenoxy)-methyl propanate on the uptake and utilization of zinc by wheat. *Australian Journal of Agricultural Research* **40**, 981-90.
- Salmon, R.C. and Arnold, P.W., (1963). The uptake of magnesium under exhaustive cropping. *Journal of Agricultural Science* **61**, 421-425.
- Sanchez Soto, P.J., Wiewiora, A., Aviles, M.A., Justo, A., Perez-Maqueda, L.A., Perez-Rodriguez, J.L. and Bylina, P., (1997). Talc from Puebla de Lillo, Spain. II. Effect of dry grinding on particle size and shape. *Applied Clay Science* **12**, 297-312.
- Sanz Scovino, J.I. and Rowell, D.L., (1988). The use of feldspars as potassium fertilizers in the savannah of Columbia. *Fertilizer Research* **17**, 71-83.
- Schmitz, G.W. and Pratt, P.F., (1953). Exchangeable and nonexchangeable potassium as indexes to yield increases and potassium absorption by corn in the greenhouse. *Soil Science* **76**, 345-353.
- Schnitzer, M. and Kodama, H., (1976). The dissolution of micas by fulvic acid. *Geoderma* **15**, 381-391.
- Schott, J., Berner, R.A. and Sjöberg, E.L., (1981). Mechanism of pyroxene and amphibole weathering - I. Experimental studies of iron-free minerals. *Geochimica et Cosmochimica Acta* **45**, 2123-2135.
- Singh, B. and Gilkes, R.J., (1991). Weathering of chromium muscovite to kaolinite. *Clays and Clay Minerals* **41**, 624-630.
- Singh, B. and Gilkes, R.J., (1992). XPAS: An interactive program to analyse X-ray powder diffraction patterns. *Powder Diffraction* **7**, 6-10.

- Singh, B. and Gilkes, R.J., (1993). Weathering of spodumene to smectite in a lateritic environment. *Clays and Clay Minerals* **41**, 624-630.
- Slattery, W.J., Conyers, M.K. and Aitken, R.L., (1999). Soil pH, aluminium, manganese and lime requirement. *In:* (Ed, K.I. Peverill, L.A. Sparrow and D.J. Reuter), *Soil Analysis: An Interpretation Manual*. 103-128. (CSIRO Publishing: Collingwood, VIC)
- Smith, J.V. and Brown, W.L., (1988) 'Feldspar Minerals'. Volume 1: Crystal Structures, Physical, Chemical and Microtextural Properties. (Springer-Verlag, Berlin).
- Sparks, D.L. and Huang, P.M., (1985). Physical chemistry of soil potassium. *In:* (Ed, R.D. Munson), *Potassium in Agriculture*. 201-276. (Soil Science Society of America: Madison, WI)
- Springob, G., (1999) Blocking the release of potassium from clay interlayers by small concentrations of  $\text{NH}^+$  and  $\text{Cs}^+$ . *European Journal of Soil Science* **50**, 665-674.
- Springob, G. and Richter, J., (1998) Measuring interlayer potassium release rates from soil materials. II. A percolation procedure to study the influence of the variable 'solute K' in the <1...10  $\mu\text{M}$  range. *Zeitschrift fur Pflanzenernahrung und Bodenkunde* **161**, 323-329.
- Stefánsson, A. and Arnósson, S., (2000). Feldspar saturation state in natural waters. *Geochimica et Cosmochimica Acta* **64**, 2567-2584.
- Steffens, D., (1986). Root system and potassium exploitation. *In:* Proceedings of the 13th IPI-Congress. International Potash Institute, Reims, France, pp. 107-118.
- Stillings, L.L. and Brantley, S.L., (1995). Feldspar dissolution at 25°C and pH 3: Reaction stoichiometry and the effect of cations. *Geochimica et Cosmochimica Acta* **59**, 1483-1496.
- Strickland, J.D.H. and Parsons, T.R., (1968). Determination of reactive silicate. *Bulletin of the Fisheries Research Board of Canada* **167**, 65-70.
- Stumm, W. and Morgan, J.J., (1981) 'Aquatic Chemistry: An Introduction Emphasizing Chemical Equilibria in Natural Watersheds'. (John Wiley & Sons, New York, NY).

- Sugiyama, K., Filio, J.M., Saito, F. and Waseda, Y., (1994). Structural change of kaolinite and pyrophyllite induced by dry grinding. *Mineralogical Journal* **17**, 28-41.
- Suraj, G., Iyer, C.S.P., Rugmini, S. and Lalithambika, M., (1997). The effect of micronization on kaolinites and their sorption behaviour. *Applied Clay Science* **12**, 111-130.
- Sverdrup, H., (1990) 'The Kinetics of Base Cation Release Due To Chemical Weathering'. (Lund University Press, Lund, Sweden).
- Sverdrup, H. and Warfvinge, P., (1995). Estimating field weathering rates using laboratory kinetics. *In: (Ed, A.F. White and S.L. Brantley), Chemical Weathering Rates of Silicate Minerals. Reviews in Mineralogy. pp. 485-541. (Mineralogical Society of America: Washington, DC)*
- Torn, M.S., Trumbore, S.E., Chadwick, O.A., Vitousek, P.M. and Hendricks, D.M., (1997). Mineral control of soil organic carbon storage and turnover. *Nature* **389**, 170-173.
- Turpault, M. and Trotignon, L., (1994). The dissolution of biotite single crystals in dilute HNO<sub>3</sub> at 24°C: Evidence of an anisotropic corrosion process of micas in acidic solutions. *Geochimica et Cosmochimica Acta* **58**, 2761-2775.
- Ugolini, F.C., Corti, G., Agnelli, A. and Piccardi, F., (1996). Mineralogical, physical and chemical properties of rock fragments in soil. *Soil Science* **161**, 521-542.
- Uhlik, P., Sucha, V., Eberl, D.D., Puskelova, L. and Caplovicova, M., (2000). Evolution of pyrophyllite particle sizes during dry grinding. *Clay Minerals* **35**, 423-432.
- Varinot, C., Hiltgun, S., Pons, M. and Dodds, J., (1997). Identification of the fragmentation mechanisms in wet-phase fine grinding in a stirred bead mill. *Chemical Engineering Science* **52**, 3605-3612.
- Velbel, M.A., Taylor, A.B. and Romero, N.L., (1990). Effects of temperature on feldspar weathering rates in alpine and non-alpine watersheds. *Geological Society of America Abstracts and Prog.* **22**, 49.
- Wang, J.G., Zhang, F.S., Cao, Y.P. and Zhang, X.L., (2000). Effect of plant types on release of mineral potassium from gneiss. *Nutrient Cycling in Agroecosystems* **56**, 37-44.

- Wallander, H. and Wickman, T. (1999) Biotite and microcline as potassium sources in ectomycorrhizal and non-ectomycorrhizal *Pinus sylvestris* seedlings. *Mycorrhiza* **9**, 25-32.
- Weerasuriya, T.J., Pushpakumara, S. and Cooray, P.I., (1993). Acidulated pegmatitic mica: A promising new multi-nutrient fertilizer. *Fertilizer Research* **34**, 67-77.
- Welch, R.M., (1995). Micronutrient nutrition in plants. *Critical Review of Plant Science* **14**, 49-82.
- Welch, S.A., Barker, W.W. and Banfield, J.F., (1999). Microbial extracellular polysaccharides and plagioclase dissolution. *Geochimica et Cosmochimica Acta* **63**, 1405-1419.
- Welch, S.A. and Ullman, W.J., (1993). The effect of organic acids on plagioclase dissolution rates and stoichiometry. *Geochimica et Cosmochimica Acta* **57**, 2725-2736.
- Welch, S.A. and Ullman, W.J., (1996). Feldspar dissolution in acidic and organic solutions: Compositional and pH dependence of rate. *Geochimica et Cosmochimica Acta* **60**, 2939-2948.
- White, A.F., (1995). Chemical weathering rates of silicate minerals in soils. *In*: (Ed, A.F. White and S.L. Brantley), Chemical Weathering Rates of Silicate Minerals. 407-461. (Mineralogical Society of America: Washington, DC)
- White, A.F. and Blum, A.E., (1995). Effects of climate on chemical weathering in watersheds. *Geochimica et Cosmochimica Acta* **59**, 1729-1748.
- White, A.F. and Peterson, M.L., (1990). Role of reactive-surface-area characterization in geochemical kinetic models. *In*: (Ed, D.C. Melchoir and R.C. Bassett), Chemical Modeling of Aqueous Systems II. 556. (American Chemical Society: Washington, D.C.)
- Wiewiora, A., Sanchez Soto, P.J., Aviles, M.A., Justo, A. and Perez-Roderiguez, J.L., (1993). Effect of dry grinding and leaching on polytypic structure of pyrophyllite. *Applied Clay Science* **8**, 261-282.
- Wilson, M.J., (1975). Chemical weathering of some primary rock-forming minerals. *Soil Science* **119**, 349-355.

- Wollast, R., (1967). Kinetics of alteration of K-feldspars in buffered solutions at low temperatures. *Geochimica et Cosmochimica Acta* **31**, 635-648.
- Wollast, R. and Chou, L., (1985). Kinetic study of the dissolution of albite with a continuous flow-through fluidized bed reactor. *In: (Ed, J.I. Drever), The Chemistry of Weathering.* 75-96. (D. Reidel Publishing Company: Dordrecht, Holland)
- Zhang, H. and Bloom, P.R., (1999). The pH dependence of hornblende dissolution. *Soil Science* **164**, 624-632.
- Zhang, H., Bloom, P.R. and Nater, E.A., (1993). Change in surface area and dissolution rates during hornblende dissolution at pH 4.0. *Geochimica et Cosmochimica Acta* **57**, 1681-1689.